

Part Number: 1040310811

Product Description: 1.10mm Pitch microSD Memory Card Connector, Surface Mount, Push-Pull Type, 1.42mm Height, with Detect Switch

Status: Active

Series Number: 104031

Product Category: Memory / SIM Card

Connectors

#### **Documents & Resources**

### **Drawings**

Drawing 1040310811\_sd.pdf

3D Models and Design Files

3D Model 1040310811\_stp.zip

#### **Specifications**

Packaging Specification PK-104031-001-001.pdf Product Specification PS-104031-001-001.pdf

### **Product Environment Compliance**

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2023)8585-DC (23 Jan 2024)
EU RoHS	Compliant per EU 2015/863

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration

- IEC-62474
- chemSHERPA (xml)

## EU RoHS Certificate of Compliance

# **Part Details**

### General

Status	Active
Category	Memory / SIM Card Connectors
Series	104031
Description	1.10mm Pitch microSD Memory Card Connector, Surface Mount, Push-Pull Type, 1.42mm Height, with Detect Switch
Product Family	SD and SIM Memory Card Sockets
Product Name	microSD Card
Style	Push-Pull
UPC	884982018273

## Electrical

Current - Maximum per Contact	0.5A
Shielded	Yes
Voltage - Maximum	10V AC (RMS)/DC

# Physical

Card Detection Switch	Open
Card Entry Location	Front
Circuits (Loaded)	8
Color - Resin	Black
Durability (mating cycles max)	10000
Ejector Button Side	N/A
Material - Contact	Copper Alloy
Material - Plating Mating	Gold
Material - Plating Termination	Gold
Material - Shell	Stainless Steel
Net Weight	0.259/g
Packaging Type	Embossed Tape on Reel

PCB Locator	No
PCB Retention	Yes
Pitch - Mating Interface	1.10mm
Temperature Range - Operating	-25° to +85°C
Termination Interface Style	Surface Mount

### **Solder Process Data**

Max-Duration	10
Lead-Free Process Capability	REFLOW
Max-Cycle	3
Max-Temp	260

### Mates With / Use With

## Mates with Part(s)

Description	Part Number
Mates With	microSD Card

This document was generated on May 27, 2024