

---

Item no.: 281-607/999-950  
Product description: 2-CONDUCTOR GROUND TERMINAL BLOCK SUITABLE FOR EX E APPLICATIONS

---



Produkt kann von Bild abweichen / product may differ

Packing unit 100 pieces

RoHS compliant

Product group	1 (Rail Mounted Terminal Blocks)
Cross section [mm <sup>2</sup> ]	0.2 - 4 mm <sup>2</sup>
Cross section [AWG]	24 - 12 AWG
Connection method	CAGE CLAMP® CONNECTION
Weight	11.78 g
Color	green-yellow
Wiring type	Front-entry
No. of connection Points	2
No. of potentials	1
Height	29 mm
Height	1.14 in
Width	6 mm
Width	0.236 in
Depth	53 mm
Depth	2.09 in
Strip length from	9 mm
Strip length to	10 mm
Strip length	0.37 in
Mounting	TS 35





Item no.	Admission office	Approval no.	Voltage [V]	Current [A]	Cross section [ mm <sup>2</sup> ]
281-607/999-950	ABS	05-HG476175/3-PDA			4
281-607/999-950	AEX	E185892			28-12
281-607/999-950	BV	07436/C0			4
281-607/999-950	CCA	NL5591/1			4
281-607/999-950	CSA	154112-1505034			28-12
281-607/999-950	DNV	E-10423			4
281-607/999-950	GL	17295-00HH			4
281-607/999-950	GOSENERGO-Ex	99.041			4
281-607/999-950	KEMA	2076376.01			4
281-607/999-950	LR	91/20112(E6)			4
281-607/999-950	PRS	TE/1718/880590/08			4
281-607/999-950	PTB	PTB00Atex3110U			4
281-607/999-950	RosTest	8189158			4
281-607/999-950	UR	E45172			28-12

Sorting criteria: admission office - approval number

© WAGO Kontakttechnik GmbH & Co. KG

Specifications are subject to changes and errors may be expected