

B82790C0475N265



Applications	Commercial Grade
	Automotive Grade
Feature	Wire Wound
	Signal Line
Type	B82790C0
Status	Production
Brand	EPCOS



Size	
Length(L)	9.00mm Nom.
Width(W)	6.00mm Nom.
Thickness Height	5.20mm Max.

Electrical Characteristics	
Common-mode Impedance [Typ.]	
Common-mode Impedance [Min.]	
Common-mode Inductance	4.7mH Typ. at 10kHz
Rated Current	200mA
Rated Voltage	80VDC
	42VAC
Insulation Resistance [Min.]	
DC Resistance	510mΩ Typ.




Other	
Operating Temp. Range	-40 to 125°C
Soldering Method	Reflow
AEC-Q200	Yes
Packing	Embossed (Plastic)Taping [330mm Reel, Tape width 16mm]
Package Quantity	1500pcs
Weight	0.3g

! Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.

B82790C0475N265



Characteristic Graphs(This is reference data, and does not guarantee the products characteristics.)





! Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.

B82790C0475N265



Associated Images



! Images are for reference only and show exemplary products.
! This PDF document was created based on the data listed on the TDK Corporation website.
! All specifications are subject to change without notice.