

HDC MRJ45 PCADP MC**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Flexible**

The four module sizes make for individual plug solutions that save a huge amount of space. The smaller pitch translates into an optimised design too.

General ordering data

Version	RJ45 module, Adapter module, RJ45 for patch cable
Order No.	2592260000
Type	HDC MRJ45 PCADP MC
GTIN (EAN)	4050118602364
Qty.	1 pc(s).

Creation date April 13, 2021 8:13:48 AM CEST

Catalogue status 09.04.2021 / We reserve the right to make technical changes.

HDC MRJ45 PCADP MC

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Technical data

Dimensions and weights

Net weight	5.7 g
------------	-------

Temperatures

Limit temperature	-40 °C ... 70 °C
-------------------	------------------

Environmental Product Compliance

REACH SVHC	Potassium perfluorobutane sulfonate 29420-49-3
------------	--

General data

Insulation strength	$10^{12} \Omega$	Material	Polycarbonate, glass fibre reinforced
Plugging cycles	750 (RJ45)	Pollution severity	3
Required plug-in slots	1	Series	ModuPlug
UL 94 flammability rating	V-0		

Classifications

ETIM 6.0	EC002312	ETIM 7.0	EC002312
ECLASS 9.0	27-44-02-92	ECLASS 9.1	27-44-02-18
ECLASS 10.0	27-44-02-92	ECLASS 11.0	27-44-02-92

Downloads

Engineering Data	STEP
Brochure/Catalogue	Catalogues in PDF-format

HDC MRJ45 PCADP MC

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

