

## SKINTOP® GMP-GL-M

SKINTOP® GMP-GL-M, glass fibre-reinforced counter nuts, for maximum mechanical stability, for locking in boreholes without thread



Variety of approval certifications



UV-resistant



Temperature-resistant



Oil-resistant



Assembly time



Good chemical resistance

### Benefits

Glass fibre-reinforced for maximum mechanical stability

Supporting surface for spanner means scratches on the housing are avoided

### Application range

For locking SKINTOP® cable glands in boreholes without thread.

### Norm references / Approvals

UL File Nr. E79903

### Product Make-up

Metric connection thread acc. to DIN EN 60423

Last Update (14.03.2019)

©2019 Lapp Group - Technical changes reserved

Product Management [www.lappkabel.de](http://www.lappkabel.de)

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02\_03.16

## SKINTOP® GMP-GL-M

Basis for technical information DIN IEC 62444

### Note

UL approval only when used with the UL-approved SKINTOP® polyamide cable glands  
Designed for use with metric SKINTOP® plastic cable glands

### Technical Data

Classification ETIM 5:	ETIM 5.0 Class-ID: EC000441 ETIM 5.0 Class-Description: Cable screw gland
Classification ETIM 6:	ETIM 6.0 Class-ID: EC000441 ETIM 6.0 Class-Description: Cable screw gland
On request:	Available without collar (without surface for assembling tool)
Colour delivered:	Silver grey (RAL 7001) Light grey (RAL 7035) Black (RAL 9005), UV-resistant
Material:	Polyamide, glass fibre-reinforced
Temperature range:	Fixed: -40°C to +100°C Dynamic: -20°C to +100°C

### Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products.  
Prices are net prices without VAT and surcharges. Sale to business customers only.

**SKINTOP® GMP-GL-M**

Article number	Article designation / size	SW wrench size mm
SKINTOP® GMP-GL-M silver grey		
53119000	M 12 x 1,5	17
53119010	M 16 x 1,5	22
53119020	M 20 x 1,5	27
53119030	M 25 x 1,5	34
53119040	M 32 x 1,5	41
53119050	M 40 x 1,5	50
53119060	M 50 x 1,5	60
53119070	M 63 x 1,5	75
SKINTOP® GMP-GL-M black		
53119100	M 12 x 1,5	17
53119110	M 16 x 1,5	22
53119120	M 20 x 1,5	27
53119130	M 25 x 1,5	34
53119140	M 32 x 1,5	41
53119150	M 40 x 1,5	50
53119160	M 50 x 1,5	60
53119170	M 63 x 1,5	75
SKINTOP® GMP-GL-M light grey		
53119003	M 12 x 1,5	17
53119013	M 16 x 1,5	22
53119023	M 20 x 1,5	27
53119033	M 25 x 1,5	34
53119043	M 32 x 1,5	41
53119053	M 40 x 1,5	50
53119063	M 50 x 1,5	60
53119073	M 63 x 1,5	75

Last Update (14.03.2019)

©2019 Lapp Group - Technical changes reserved

Product Management www.lappkabel.de

 You can find the current technical data in the corresponding data sheet.  
 PN 0456 / 02\_03\_16