
















Extruded heatsinks for lock-in retaining spring

<p>art. no.</p> <p>SK 575 ...</p>			
<p>please indicate: ... $\left[\begin{array}{c} \text{---} \\ \text{---} \end{array} \right]$</p> <p>25 37.5 50 75 84 100 1000 mm</p>			
<p>art. no.</p> <p>SK 512 ...</p>			
<p>please indicate: ... $\left[\begin{array}{c} \text{---} \\ \text{---} \end{array} \right]$</p> <p>25 50 100 1000 mm</p>			
<p>art. no.</p> <p>SK 480 ...</p>			
<p>please indicate: ... $\left[\begin{array}{c} \text{---} \\ \text{---} \end{array} \right]$</p> <p>25 37.5 50 75 84 100 1000 mm</p>			
<p>art. no.</p> <p>SK 490 ...</p>			
<p>please indicate: ... $\left[\begin{array}{c} \text{---} \\ \text{---} \end{array} \right]$</p> <p>37.5 50 75 84 100 1000 mm</p>			
<p>art. no.</p> <p>SK 492 ...</p>			
<p>please indicate: ... $\left[\begin{array}{c} \text{---} \\ \text{---} \end{array} \right]$</p> <p>25 37.5 50 75 84 100 1000 mm</p>			

please note: profile threads → A 5

Mounting parts for heatsinks → E 49 – 50

Insulating caps → E 51

Mounting pads → E 46

Lock-in retaining spring for transistors → A 119 – 121

→ E 49 – 50

→ E 51

→ E 46

→

Heatsinks for PCB

Profiles for PCB components

Heatsinks with threaded rail

Technical introduction

→ A 89

→ A 91

→ A 93

→ A 2 – 8

A 84

A

B

C

D

E

F

G

H

I

K

L

M

N