

A


Standard extruded heatsinks

| | | |
|--|--|--|
| art. no. SK 185 ... | | |
| please indicate: ... $\left[\begin{array}{c} \text{---} \\ \text{---} \end{array} \right]$ 37.5 50 100 1000 mm | | |
| ... Φ (optional) TO 3; CB | | |
| art. no. SK 48 ... | | |
| please indicate: ... $\left[\begin{array}{c} \text{---} \\ \text{---} \end{array} \right]$ 37.5 50 75 100 1000 mm | | |
| ... Φ (optional) SSR 1; SSR 3; TO 3; CB | | |
| art. no. SK 79 ... | | |
| with slots for cover plates or PCBs | | |
| please indicate: ... $\left[\begin{array}{c} \text{---} \\ \text{---} \end{array} \right]$ 37.5 50 75 100 1000 mm | | |
| ... Φ (optional) TO 3; CB | | |
| art. no. SK 08 ... | | |
| with slots for cover plates or PCBs | | |
| please indicate: ... $\left[\begin{array}{c} \text{---} \\ \text{---} \end{array} \right]$ 37.5 50 75 100 1000 mm | | |
| ... Φ (optional) TO 3; CB | | |
| art. no. SK 88 ... | | |
| with slots for cover plates or PCBs | | |
| please indicate: ... $\left[\begin{array}{c} \text{---} \\ \text{---} \end{array} \right]$ 37.5 50 75 100 1000 mm | | |
| ... Φ (optional) TO 3 | | |

A 73

High decorative surfaces → A 9
 Order example → A 21
 Heatsink as visual & decor-parts → A 10
 Drilling pattern for Solid State Relays → A 12

Heatsinks for Solid State Relay → A 11 – 12
 Heatsink special design → A 135 – 136
 Special profiles → A 138
 Technical introduction → A 2 – 7

N