


A B C D E F

SYM ZONE	ECN, ERN NO.	DATE	APPRD.
B	PRODUCT DWG (EAR 14195)	JUN07/13	K.L.
C	PRODUCT DWG (EAR 14206)	JUN19/13	K.L.




FRONT VIEW

RECOMMENDED P.C.B. LAYOUT  
(COMPONENT SIDE OF BOARD)  
TOLERANCE: ±0.05mm

NOTES:

- MATERIALS:  
HOUSING: HIGH TEMPERATURE PLASTIC, OR PBT FLAMMABILITY UL94V-0.  
CONTACTS: COPPER ALLOY,  
PLATING: GOLD ON MATING AREA (SEE AMPHENOL PART NO. OPTION).  
MATTE TIN OR GOLD FLASH ON CONTACT TAILS.  
NICKEL UNDERPLATE.  
SHELL: COPPER ALLOY,  
NICKEL.
- OPERATING TEMPERATURE: -40°C TO +105°C



TOP VIEW

SIDE VIEW

BOTTOM VIEW

AMPHENOL PART NO.: U E 2 5 - B E X 5 - 1 0 X  
 SERIES UE25=MINI USB RECEPTACLE  
 TYPE B=SERIES B  
 STYLE E=TOP ENTRY  
 CONTACT PLATING 5=30µ" (0.76 MICRONS) GOLD PLATING ON CONTACT MATING AREA  
 7=GOLD FLASH OVER NICKEL ON CONTACT MATING AREA.  
 MODIFIER 0=PBT  
 H=HIGH TEMP MATERIAL (<260°C)  
 SHIELD OPTIONS 0=WITHOUT REAR SHELL  
 COLOUR 1=BLACK  
 NUMBER OF CONTACTS 5=5 CONTACTS

UNLESS OTHERWISE SPECIFIED TOLERANCES ARE ±0.30mm	DRAWN HUIJUAN WANG	DATE APR 25, 08
	DESIGNED MT CHEN	APR 25, 08
	CHECKED L.CHAN	APR 25, 08
	I. E. APPRD.	
	O. A. APPRD.	
	DWG. APPRD. K.LAMBIE	TBD
	ENG. REL. NO.	
	REF.	
DIMENSIONS ARE IN	CODE ID. NO.	SCALE 3/1
MM/[INCHES]	03554	WT. SURF. SHEET 1 OF 1

Amphenol Canada Corp.	
TITLE UNIVERSAL SERIAL BUS MINI-B RECEPTACLE, VERTICAL PCB TAIL, ROHS COMPLIANT	
DWG C	DRAWING NO. P-UE25-BEX5-10X
REV. C	SHEET 1 OF 1

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

1

2

3

4